

#### STATUTORY CONDITIONS RELATING TO USE

##### FOR USE ONLY BY PROFESSIONAL OPERATORS

The (COSHH) Control Of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Avoid contact with skin.

Wear suitable protective clothing and gloves.

##### AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRY REGULARLY.

Do not breathe mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment-A Practical Guide").

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

##### DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

**EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. DO NOT APPLY DIRECTLY TO ANIMALS. REMOVE OR COVER ALL FISH TANKS AND BOWLS** before application.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

**AVOID ALL CONTACT WITH PLANT LIFE. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.**

Protect milk machinery and milk containers from contamination.

Avoid release to the environment. Refer to safety data sheet

READ ALL PRECAUTIONS BEFORE USE (HSE 4647)

#### DIRECTIONS FOR USE

Dose rate – 100ml per 1000m<sup>2</sup>.

Flow rate – 35ml per minute

(Exodus & E2 Microgen machine).

Application equipment – Use the Exodus, Micro-gen or other suitable ULV-droplet generating equipment to disperse this product.

Use undiluted. Remove black plastic screw cap and foil seal. Then fit the 1 litre capacity designated bottle into the machine.

Ensure that the top of the bottle dip tube engages with the machine spindle. Close room or warehouse and shut off all ventilating systems and pilot lights. Leave the room closed for 1 hour after treatment. Do not remain in treated areas and ventilate before re-entry.

Repeat application as necessary for insect control.

Space sprays containing pyrethrins or pyrethroids must not be used more than once a week against houseflies in intensive or controlled environment animal houses as they could cause control failure due to resistance. If more frequent treatments are required, use a product with a different active ingredient and if necessary, a different control method (such as a bait).

#### PRECAUTIONS

**WASH ANY CONTAMINATION** from skin or eyes immediately. **WASH HANDS AND EXPOSED SKIN** before meals and after use.

Keep only in the original container. Keep container tightly closed. **KEEP IN A SAFE PLACE.**

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

Keep out of reach of children.

Keep away from sources of ignition – No Smoking.

**VENTILATE TREATED AREAS THOROUGHLY** after application.

**COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.**

Use appropriate containment to avoid environmental contamination.

Protect from frost.

When not in use, store upright with cap screwed tightly on.

Read safety data sheet.

Always read the label. Use pesticides safely.

Use only in accordance with the directions on this label.

To avoid risk to man and the environment, comply with the instructions for use.

## KILLGERM ULV 500 INSECTICIDE

Contains: TETRAMETHRIN 2.2% w/w (18.4g/litre)  
D-PHENOTHTRIN 4.4% w/w (36.8g/litre)

**HARMFUL:**  
**MAY CAUSE LUNG DAMAGE IF SWALLOWED**

**TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM  
ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT**

A ready to use, ULV, oil based formulation for the control of two winged flies (including mosquitoes), fleas, cockroaches, beetles, moths and booklice, ants wasps, earwigs, silverfish and other bristletails, bedbugs, mites, spiders, ticks in domestic and public hygiene situations. For use in kitchens and other rooms in domestic premises and for use in specialised areas such as hospitals (not in occupied ward areas), holds and cabins in ships and in museums. Also for use in and around farm buildings and for use on refuse tips and in vehicles.

This product is approved under the Control of Pesticides Regulations 1986 for use as directed. HSE No. 4647.

**FOR USE ONLY AS AN INSECTICIDE**

Killgerm Chemicals Ltd, PO Box 2, Ossett, West Yorkshire, WF5 9NA  
Tel. No. 01924 268400 Fax no. 01924 264757  
Email: info@killgerm.com Web: www.killgerm.com

Contents: 1 litre Batch No: See separate sticker  
Label ref: 04/11

Killgerm Chemicals Ltd, PO Box 2, Ossett, West Yorkshire, WF5 9NA.  
Tel. No. 01924 268400 Fax no. 01924 264757  
Email: info@killgerm.com Web: www.killgerm.com



**DANGEROUS FOR  
THE ENVIRONMENT**

This product is  
approved under the  
Control of Pesticides  
Regulations 1986.  
HSE No. 4647



**HARMFUL**

